

CERTIFICATE OF ANALYSIS

Product: **PARVOERY SIN**

Batch No.: **516228A**

Expiry: **11/2023**

Date of production: **7.12.2021**

Results of analysis:

Tests	Release limits	Shelf-life limits	Results
Appearance	White to greyish milky liquid, a small amount of sediment is allowed.		complies
Content of original package	min. 10, 20, 50, 100 ml		102 ml
Sterility	The vaccine must be sterile.		sterile
Efficacy	The vaccine must comply the test for efficacy.		complies
Identity	Vaccine must comply the test for identity.		complies
Virus inactivation	Parvovirus must be inactive.		complies
Extraneous viruses	Vaccine must create antibodies only against porcine parvovirus.		complies
pH	6.5 – 7.8		7.3
Formaldehyde	Max. 0.19 %		0.04 %
Thiomersal	0.1 mg/ml (0.085 – 0.115 mg/ml)		0.088 mg/ml
Air tightness	The vials must be hermetically sealed.		complies
Viscosity	1.0 – 4.0 mPa.s		3.6 mPa.s

I certify that this product has been tested in the laboratories of Bioveta a.s. and has been found to meet specification requirements. Preparation is suitable with control regulations of the valid PN No. 111.


.....24/2/2022
Mgr. Hana Nezvalová
HEAD of QC, QP

