

CERTIFICATE OF ANALYSIS

Product: **TOP SPOT ON STRONGER 16.25 g, solution for application – spot-on for horse**

Batch No.: **375528A**

Expiry: **16.5.2023**

Date of production: **17.5.2021**

Results of analysis:

Tests	Release limits	Shelf-life limits	Results
Appearance	Yellowish clear liquid.		conforms
Solution volume			
- nominal	min. 25 ml		25 ml
- usable	at least 25 ml		
Density	1.05 – 1.1 g/ml		1.08 g/ml
Permethrin identity	Must be proved (HPLC).		conforms
Permethrin content	617.5 – 682.5 mg/ml	585.0 – 682.5 mg/ml	641.5 mg/ml
Impurities			
- individual unspecified impurity	max. 1.0 %		conforms
- sum of impurities	max. 2.5 %		0.6 %
Butylparabene identity	Must be proved (HPLC).		conforms
Butylparabene content	0.95 – 1.05 mg/ml	0.90 – 1.10 mg/ml	0.98 mg/ml
Butylhydroxyanisole identity	Must be proved (HPLC).		conforms
Butylhydroxyanisole content	0.18 – 0.22 mg/ml	0.16 – 0.22 mg/ml	0.19 mg/ml
Butylhydroxytoluene identity	Must be proved (HPLC).		conforms
Butylhydroxytoluene content	0.09 – 0.11 mg/ml	0.08 – 0.11 mg/ml	0.10 mg/ml
Microbiological quality	Must comply. TAMC (CFU/ml): 10^2 TYMC (CFU/ml): 10^1 Absence of Staphylococcus aureus in 1 ml Absence of Pseudomonas aeruginosa in 1 ml		<10 CFU/ml <10 CFU/ml absent absent

I certify that this product has been tested in the laboratories of Bioveta a.s. and has been found to meet specification requirements. Preparation is suitable with control regulations of the valid PN No. 377.



.....17/6/2021
Mgr. Hana Nezvalová
HEAD of QC, QP