



Ayurvet Limited, Baddi

Village: Katha, P.O: Baddi, Dist: Solan, H.P.

QUALITY ASSURANCE TEST REPORT

Test Report No. : 110172

Test Date : 23/02/2021

Product : BM04000 CHARMIL PLUS GEL

Production No. : 20126417 Date : 15/02/2021

Batch No. : 21015 Mfg Date : 2/21

Exp Date : 1/24

UOM : KG

Analyst: HEMANT

Parameter Name	Type	UOM	Lower Limit	Upper Limit	Observation Value	Status
Physical parameters						
DESCRIPTION STP : Dark brown colored viscous gel having pungent smell. STP:Visual & organoleptic test	Visual		0.00	0.00	c	Complies
Chemical parameters						
PET ETHER SOLUBLE EXTRACTIVE STP : ST/AL/0007	Numeric	%WW	45.00	75.00	55.99	Complies

Opinion.....: Sample Conforms/Does not conform to I.P. / B.P. / U.S.P. / I.H.S.

Result.....: RELEASED

Remarks.....:

Checked By


Approved By

SALMONELLA STP : As per i. P 2014 , V-I, P-45 (should be absent)	Visual		0.00	0.00	c	Complies
S.AUREUS STP : As per IP 2014, V-I, P-45 (should be absent)	Visual		0.00	0.00	c	Complies
P.AERUGINOSA STP : As per IP 2040, V-I, P-45 (should be absent)	Visual		0.00	0.00	c	Complies

Opinion.....: Sample ~~Conforms/Does not conform to I.P. / B.P. / U.S.P. / I.H.S.~~ ✓

Result.....: RELEASED

Remarks.....:

Checked By 

Approved By 