



Ayurvet Limited, Baddi
Village: Katha, P.O: Baddi, Dist: Solan, H.P.

QUALITY ASSURANCE TEST REPORT

Test Date: 18/09/2023

Test Report No.: 136953

Product : BM04000 CHARMIL PLUS GEL
Production No.: 23123381 Date : 18/09/2023
Batch No. : 23151 Mfg Date : 9/23
Pack Size:- 25 GM,
Analyst: BALDEV SINGH

Exp Date : 8/26

UOM : KG

Parameter Name	Type	UOM	Lower Limit	Upper Limit	Observation Value	Status
Physical parameters						
DESCRIPTION STP: Dark brown colored viscous gel having pungent smell. STP: Visual & organoleptic test	Visual		0.000	0.000	c	Complies
Chemical parameters						
PET ETHER SOLUBLE EXTRACTIVE STP: ST/AL/0007	Numeric	%V/V	45.000	75.000	48.32	Complies
KRANJIN CONTENT STP: ST/AL/0308	Numeric	PPM	550.000	4500.000	2945.51	Complies

Opinion.....: Sample Conforms/~~Does not conform to~~ I.P. / B.P. / U.S.P. / I.H.S.

Result.....: RELEASED

Remarks.....:

Checked By

Approved By

Print Date: 29/09/23

AV-QA-FRM-31

Page 1 of 1