



Ayurvet Limited, Baddi

Village: Katha, P.O: Baddi, Dist: Solan, H.P.

QUALITY ASSURANCE TEST REPORT

Test Report No. : 137113

Test Date : 23/09/2023

Product : BM04000 CHARMIL PLUS GEL

Production No. : 23123458 Date : 20/09/2023

Batch No. : 23152 Mfg Date : 9/23

Exp Date : 8/26

Pack Size:- 50 GM,

UOM : KG

Analyst: BALDEV SINGH

Parameter Name	Type	UOM	Lower Limit	Upper Limit	Observation Value	Status
Physical parameters						
DESCRIPTION STP : Dark brown colored viscous gel having pungent smell. STP:Visual & organoleptic test	Visual		0.000	0.000	c	Complies
Chemical parameters						
PET ETHER SOLUBLE EXTRACTIVE STP : ST/AL/0007	Numeric	%V/V	45.000	75.000	48.44	Complies
KRANJIN CONTENT STP : ST/AL/0308	Numeric	PPM	550.000	4500.000	3994.70	Complies

Opinion.....: Sample Conforms/Does not conform to I.P. / B.P. / U.S.P. / I.H.S.

Result.....: RELEASED

Remarks.....:

Checked By

Approved By