



Ayurvet Limited, Baddi

Village: Katha, P.O: Baddi, Dist: Solan, H.P.

QUALITY ASSURANCE TEST REPORT

Test Report No. : 116686

Test Date : 05/10/2021

Product : BM06000 DIAROAK

"GMP+ FSA ASSURED"

Production No. : 21123487 Date : 25/09/2021

Batch No. : 21061 Mfg Date : 9/21

Exp Date : 8/23

UOM : KG

Analyst: HEMANT

Parameter Name	Type	UOM	Lower Limit	Upper Limit	Observation Value	Status
Physical parameters						
DESCRIPTION STP : Brown colour granular powder. STP. Visual examination	Visual		0.00	0.00	c	Complies
LOSS ON DRYING STP : 105 Deg./constant weight	Numeric	%WW	2.00	5.00	3.24	Complies
SIEVE ANALYSIS STP : Using #20 mesh ASTM sieve	Numeric	%WW	0.10	2.00	0.12	Complies
BULK DENSITY AFTER 50 TAPS STP : By Bulk-Density apparatus	Numeric	GM/CC	0.90	1.10	1.087	Complies
WATER ACTIVITY STP : using water activity meter	Numeric	AW	0.00	0.75	0.309	Complies
Chemical parameters						
WATER SOLUBLE EXTRACTIVE STP : ST/AL/0009	Numeric	%WW	16.00	25.00	21.17	Complies
METHANOL SOLUBLE EXTRACTIVE STP : ST/AL/0003	Numeric	%WW	9.00	13.00	12.67	Complies
Phyto active parameters						
CATECHIN CONTENT STP : ST/AL/0233	Numeric	PPM	4 000.00	15000.00	13743.87	Complies
BERBERINE CONTENT STP : ST/AL/0267	Numeric	PPM	10.00	100.00	36.15	Complies

Opinion.....: Sample Conforms/~~Does not conform to I.P. / B.P. / U.S.P. / I.H.S.~~

Result.....: RELEASED

Remarks.....:

Checked By

Approved By