



Ayurvet Limited, Baddi

Village: Katha, P.O. & Tehsil : Baddi, Distt. Solan, H.P. 173205

QUALITY ASSURANCE TEST REPORT

Test Report No. : 132118

Test Date : 29/03/2023

Product : BM06000 DIAROAK

"GMP+ FSA ASSURED"

Production No. : 22126737 Date : 22/03/2023

Batch No. : 23012 Mfg Date : 3/23

Exp Date : 2/25

UOM : KG

Analyst: HEMANT

Parameter Name	Type	UOM	Lower Limit	Upper Limit	Observation Value	Status
Physical parameters						
DESCRIPTION STP : Brown colour granular powder. STP: Visual examination	Visual		0.00	0.00	c	Complies
LOSS ON DRYING STP : 105 Deg./constant weight	Numeric	%WW	2.00	5.00	3.83	Complies
SIEVE ANALYSIS STP : Using #20 mesh ASTM sieve	Numeric	%WW	0.10	2.00	0.36	Complies
BULK DENSITY AFTER 50 TAPS STP : By Bulk-Density apparatus	Numeric	GM/CC	0.90	1.10	0.992	Complies
WATER ACTIVITY STP : using water activity meter	Numeric	AW	0.00	0.75	0.406	Complies
Chemical parameters						
WATER SOLUBLE EXTRACTIVE STP : ST/AL/0009	Numeric	%WW	16.00	25.00	21.11	Complies
METHANOL SOLUBLE EXTRACTIVE STP : ST/AL/0003	Numeric	%WW	9.00	13.00	11.58	Complies
Phyto active parameters						
CATECHIN CONTENT STP : ST/AL/0233	Numeric	PPM	4,000.00	15000.00	11292.41	Complies
BERBERINE CONTENT STP : ST/AL/0267	Numeric	PPM	10.00	100.00	73.50	Complies

Opinion.....: Sample Conforms/Does not conform to I.P. / B.P. / U.S.P. / I.H.S.

Result.....: RELEASED

Remarks.....:

Checked By

Approved By