

Ayurvet Limited, Baddi

Village: Katha, P.O: Baddi, Dist: Solan, H.P.

QUALITY ASSURANCE TEST REPORT

Test Report No: 142500

Test Date: 30/03/2024

Product: BM08000 DIAROAK

"GMP+ FSA ASSURED"

Production No: 23527201 Date: 27/03/2024

Batch No: 24013 Mfg Date: 3/24

Exp Date: 2/26

UOM: KG

Form Size: 30 mg
MAYHEE BALDI VASUDEVI

Parameter Name	Type	UOM	Lower Limit	Upper Limit	Observation Value	Status
Physical parameters						
WATER ACTIVITY STP: using water activity meter	Numeric	AW	0.000	0.750	0.321	Complies
DISCRIPTION STP: Brown coloured granular powder. STP: Visual examination	Visual		0.000	0.000	c	Complies
FINES UNOBYC40 STP: 40 mesh (0.425mm)	Numeric	%W/W	2.000	5.000	3.05	Complies
80 mesh UNOBYC40 STP: Using #20 mesh A.S.M sieve	Numeric	%W/W	0.100	2.000	0.40	Complies
Flowability STP: Bulk flow rate test	Numeric	GM/CC	0.900	1.100	0.967	Complies
WATER SOLUBLE (D) INACTIVE STP: 100% (0.000)	Numeric	%W/W	16.000	25.000	21.19	Complies
WATER SOLUBLE (D) ACTIVE STP: 100% (0.000)	Numeric	%W/W	9.000	13.000	12.39	Complies
Heavy Metals STP: 100% (0.000)	Numeric	PPM	4000.000	15000.000	8856.86	Complies
Microbial STP: 100% (0.000)	Numeric	PPM	10.000	100.000	25.80	Complies

Conclusion: Sample Conforms/Does not conform to I.P. / B.P. / U.S.P. / I.H.S.

Signature: RELEASED

Approved By