



Ayurvet Limited, Baddi

Village: Katha, P.O: Baddi, Dist: Solan, H.P.

QUALITY ASSURANCE TEST REPORT

Test Report No. : 118202

Test Date : 18/11/2021

Product : BM11000 EXAPAR LIQUID HUNGARY

Production No. : 21124620

Date : 11/11/2021

Batch No. : 21005

Mfg Date : 11/21

Exp Date : 10/24

Analyst: BALDEV SINGH

UOM : LTR

Parameter Name	Type	UOM	Lower Limit	Upper Limit	Observation Value	Status
Physical parameters						
DESCRIPTION STP : light brown coloured liquid having herbaceous odour	Visual		0.00	0.00	c	Complies
WEIGHT PER ML STP : AS PER IP2014, V-I, P-208	Numeric	GM	1.00	1.10	1.016	Complies
TOTAL UNDISSOLVED SOLIDS STP : ST/AL/0110	Numeric	%WW	0.00	0.50	0.087	Complies
Chemical parameters						
TOTAL DISSOLVED SOLID STP : ST/AL/0110	Numeric	%WV	6.00	15.00	6.454	Complies
pH (AS SUCH) STP : AS PER IP2014, V-I, P-169	Numeric	NO.	3.50	5.50	5.48	Complies

Opinion..... Sample Conforms/Does not conform to I.P. / B.P. / U.S.P. / L.H.S.

Result..... RELEASED

Remarks.....

Checked By

Approved By

Print Date: 30/11/2021

QA/SOP/10/F11

REV. NO : 01