



AYURVET

Ayurvvet Limited, Baddi

Village: Katha, P.O: Baddi, Dist: Solan, H.P.

QUALITY ASSURANCE TEST REPORT

Test Report No.: 89242

Test Date: 27/02/2019

Product : BM23000 RUCHAMAX

"GMP+ FSA ASSURED"

Production No. : 18126064 Date : 26/02/2019

Batch No. : 19013 Mfg Date : 2/19

Exp Date : 1/21

Analyst: HEMANT

UOM : KG

Parameter Name	Type	UOM	Lower Limit	Upper Limit	Observation Value	Status
Physical parameters						
BULK DENSITY AFTER 50 TAPS : By Bulk density apparatus	Numeric	GM/CC	0.50	0.70	0.605	Complies
SIEVE ANALYSIS STP : Use #40 mesh ASTM sieve	Numeric	%WW	0.20	3.00	2.44	Complies
DESCRIPTION STP : Greenish Brown Coloured powder with spicy odour. STP-visual & organoleptic examination	Visual		0.00	0.00	c	Complies
MOISTURE CONTENT STP : By Karl-Fischer method	Numeric	%WW	2.00	8.00	4.94	Complies
Water activity STP : USING WATER ACTIVITY METER	Numeric	aW	0.00	0.75	0.294	Complies
Chemical parameters						
PH OF 5%WW SOLUTION STP : USING PH METER	Numeric	NO.	3.50	5.00	4.47	Complies
TC, LASH STP : AS PER IP 2014, V.I, P98	Numeric	%WW	10.00	22.00	20.77	Complies
WATER SOLUBLE EXTRACTIVE STP : ST/L/0009	Numeric	%WW	25.00	38.00	29.73	Complies
Phyto active parameters						
BETA ASARONE CONTENT STP : ST/L/0174	Numeric	PPM	600.00	2000.00	804.61	Complies

Opinion..... Sample Conforms/Does not conform to H.P./B.P./U.S.P./I.H.S.

Result..... RELEASED

Remarks.....

Checked By

Approved By

GARDENIN CONTENT
STP : ST/AL0175

Numeric	PPM	150.00	2000.00	504.16	Complies

Opinion.....: Sample Conforms/Does not conform to TP-7 B.P.T.U.S.P. / I.H.S. ✓
Result.....: RELEASED
Remarks.....:

Checked By 


Approved By