

Ayurvet Limited, Baddi

Village: Katha, P.O: Baddi, Dist: Solan, H.P.

QUALITY ASSURANCE TEST REPORT

Test Report No. 100818

Test Date 07/05/2020

Product : BM23000 RUCHAMAX

"GMP+ FSA ASSURED"

Production No. : 20120139 Date : 04/05/2020

Batch No. : 20032 Mfg Date : 5/20

Exp Date : 4/22

UOM : KG

Analyst: HEMANT

Parameter Name	Type	UOM	Lower Limit	Upper Limit	Observation Value	Status
Physical parameters						
BULK DENSITY AFTER 50 TAPS STP : By Bulk density apparatus	Numeric	GM/CC	0.50	0.70	0.643	Complies
SIEVE ANALYSIS STP : Use #40 mesh ASTM sieve	Numeric	%WW	0.20	3.00	0.88	Complies
DESCRIPTION STP : Greenish Brown Coloured powder with spicy odour. STP:visual & organoleptic examination	Visual		0.00	0.00	c	Complies
MOISTURE CONTENT STP : By Karl-Fischer method	Numeric	%WW	2.00	8.00	5.21	Complies
Water activity STP : USING WATER ACTIVITY METER	Numeric	aW	0.00	0.75	0.302	Complies
Chemical parameters						
pH OF 5%W/V SOLUTION STP : USING PH METER	Numeric	NO.	3.50	5.00	4.48	Complies
TOTAL ASH STP : AS PER IP 2014, V-I, P98	Numeric	%WW	10.00	22.00	21.90	Complies
WATER SOLUBLE EXTRACTIVE STP : ST/AL/0009	Numeric	%WW	25.00	38.00	34.75	Complies
Phyto active parameters						
BETA ASARONE CONTENT STP : ST/AL/0174	Numeric	PPM	600.00	2000.00	681.56	Complies

Opinion..... Sample Conforms/Does not conform to I.P. / B.P. / U.S.P. / I.H.S.

Result..... RELEASED

Remarks.....

Checked By

Approved By

PARACNIN CONTENT
STP. ST/AL/0175

Naïons	PPM	150.00	2000.00	406.50	Compl

Opinion.....: Sample Conforms/Does not conform to I.P. / B.P. / U.S.P. / I.H.S.

Result.....: RELEASED

Remarks.....

Checked By

Approved By