



Ayurvet Limited, Baddi

Village: Katha, P.O: Baddi, Dist: Solan, H.P.

QUALITY ASSURANCE TEST REPORT

Test Report No. : 101027

Test Date : 20/05/2020

Product : BM23000 RUCHAMAX

"GMP+ FSA ASSURED"

Production No. : 20120282 Date : 18/05/2020

Batch No. : 20034 Mfg Date : 5/20

Exp Date : 4/22

UOM : KG

Analyst: HEMANT

Parameter Name	Type	UOM	Lower Limit	Upper Limit	Observation Value	Status
Physical parameters						
BULK DENSITY AFTER 50 TAPS STP : By Bulk density apparatus	Numeric	GM/CC	0.50	0.70	0.635	Compliance
SIEVE ANALYSIS STP : Use #40 mesh ASTM sieve	Numeric	%WW	0.20	3.00	1.84	Compliance
DESCRIPTION STP : Greenish Brown Coloured powder with spicy odour. STP:visual & organoleptic examination	Visual		0.00	0.00	c	Compliance
MOISTURE CONTENT STP : By Karl-Fischer method	Numeric	%WW	2.00	8.00	5.09	Compliance
Water activity STP : USING WATER ACTIVITY METER	Numeric	aW	0.00	0.75	0.374	Compliance
Chemical parameters						
pH OF 5%W/V SOLUTION STP : USING PH METER	Numeric	NO.	3.50	5.00	4.43	Compliance
TOTAL ASH STP : AS PER IP 2014, V-I, P98	Numeric	%WW	10.00	22.00	20.45	Compliance
WATER SOLUBLE EXTRACTIVE STP : ST/AL/0009	Numeric	%WW	25.00	38.00	27.17	Compliance
Phyto active parameters						
BETA ASARONE CONTENT STP : ST/AL/0174	Numeric	PPM	600.00	2000.00	681.56	Compliance

Opinion.....: Sample Conforms/Does not conform to I.P. / B.P. / U.S.P. / I.H.S.

Result.....: RELEASED

Remarks.....:

Checked By

Approved By

GARDENIN CONTENT
STP : ST/AL/0175

Numeric

PPM

150.00

2000.00

406.60

Complies

Opinion.....: Sample Conforms/~~Does not conform to I.P. / B.P. / U.S.P. / I.H.S.~~

Result.....: RELEASED

Remarks.....:

nh

Checked By

[Signature]

(Approved By