



Ayurvet Limited, Baddi

Village: Katha, P.O. & Tehsil : Baddi, Distt. Solan, H.P. 173205

QUALITY ASSURANCE TEST REPORT

Test Report No. : 127038

Test Date : 26/09/2022

Product : BM58000 SALCOCHEK PRO

"GMP+ FSA ASSURED"

Production No. : 22123256

Date : 20/09/2022

Batch No. : 22008

Mfg Date : 9/22

Exp Date : 8/24

UOM : KG

Analyst: HEMANT

Parameter Name	Type	UOM	Lower Limit	Upper Limit	Observation Value	Status
Physical parameters						
DESCRIPTION STP : YELLOWISH BROWN COLORED ,FINE POWDER HAVING A CHARACTERISTIC HERBACEOUS ODOUR; VISUAL & ORGANOLEPTIC EXAMINATION	Visual		0.00	0.00	c	Complies
MOISTURE CONTENT STP : BY KARL FISCHER METHOD	Numeric	%W/W	5.00	7.00	5.44	Complies
BULK DENSITY AFTER 50 TAPS STP : BY BULK DENSITY METHOD	Numeric	GM/CC	0.60	0.80	0.728	Complies
SIEVE ANALYSIS STP : USE #40 MESH ASTM SIEVE	Numeric	%W/W	0.50	3.00	0.50	Complies
Water activity STP : using water activity meter	Numeric	aW	0.00	0.75	0.432	Complies
Chemical parameters						
TOTAL ASH STP : AS PER IP 2014,V-I, P-98	Numeric	%W/W	19.00	25.00	24.93	Complies
WATER SOLUBLE EXTRACTIVE STP : ST/AL/0009	Numeric	%W/W	20.00	30.00	29.84	Complies
METHANOL SOLUBLE EXTRACTIVE STP : ST/AL/0003	Numeric	%W/W	15.00	25.00	24.58	Complies
TANNIN CONTENT STP : ST/AL/0013	Numeric	%W/W	5.00	20.00	6.55	Complies
VOLATILE CONTENT STP : ST/AL/0039	Numeric	%V/W	1.00	3.00	1.70	Complies

Opinion.....: Sample Conforms/Does not conform to I.P. / B.P. / U.S.P. / I.H.S.

Result.....: RELEASED

Remarks.....:

Checked By

Approved By