



Ayurvet Limited, Baddi

Village: Katha, P.O: Baddi, Dist: Solan, H.P.

QUALITY ASSURANCE TEST REPORT

Test Report No. : 112640

Test Date : 24/05/2021

Product : BM26000 STRESROAK LIQUID

Production No. : 21120698 Date : 10/05/2021

Batch No. : 21003 Mfg Date : 5/21

Exp Date : 4/24

UOM : LTR

Analyst: HEMANT

Parameter Name	Type	UOM	Lower Limit	Upper Limit	Observation Value	Status
Physical parameters						
DESCRIPTION STP : Dark brown colour liquid with characteristic odour. STP. Visual & organoleptic examination	Visual		0.00	0.00	c	Complies
WEIGHT PER ML STP : USING RD BOTTLE	Numeric	GM	1.00	1.10	1.078	Complies
TOTAL UNDISSOLVED SOLIDS STP : ST/AL/0110	Numeric	%WW	0.10	1.00	0.129	Complies
Chemical parameters						
TOTAL DISSOLVED SOLID STP : ST/AL/0110	Numeric	%W/V	16.00	20.00	18.083	Complies
PH (AS SUCH) STP : IP2014 VOL-II, P1208	Numeric	NO.	3.00	5.00	4.12	Complies
Phyto active parameters						
GALIC ACID CONTENT STP : ST/AL/0225	Numeric	PPM	2,000.00	10000.00	4349.39	Complies
QUERCETIN CONTENT STP : ST/AL/0177	Numeric	PPM	50.00	1000.00	304.47	Complies
Microbiological parameters						
E.COLI STP : As per I. P 2014 , V-I,P-45(Should be absent)	Visual		0.00	0.00	c	Complies

Opinion.....: Sample Conforms/Does not conform to I.P. / B.P. / U.S.P. / I.H.S.

Result.....: RELEASED

Remarks.....:

Checked By

Approved By