

QUALITY ASSURANCE TEST REPORT

Test Report No. : 87446

Test Date : 22/12/2018

Product : BM30000 ZEROKEET LIQUID

Production No. : 18124882 Date : 21/12/2018

Batch No. : 18008 Mfg Date : 12/18

Exp Date : 11/21

UOM : LTR

Analyst: HEMANT

Parameter Name	Type	UOM	Lower Limit	Upper Limit	Observation Value	Status
Physical parameters						
DESCRIPTION						
TP : Dark brown colored, clear liquid having characteristic odour	Visual		0.00	0.00	C	Complies
WEIGHT PER ML						
STP : As per IP 2014, V-I, P-208	Numeric	GM	1.00	1.10	1.039	Complies
CLARITY ON DILUTION						
STP : FORM CLEAR TRANSPARENT LIQUID ON DILUTION WITH FOUR TIMES OF WATER	Visual		0.00	0.00	C	Complies
Chemical parameters						
TOTAL DISSOLVED SOLID						
STP : By ERMA refractometer	Numeric	%W/V	61.00	70.00	68	Complies
VOLATILE CONTENT						
STP : As per AOAC method	Numeric	%V/W	12.00	18.00	13.59	Complies
pH (AS SUCH)						
STP : As per IP 2014, V-I, P-169	Numeric	NO.	4.00	5.50	4.80	Complies
Phyto active parameters						
B-Asarone						
STP : ST/AL/0273	Numeric	%w/w	0.80	1.50	0.973	Complies
KRANJIN CONTENT						
STP : ST/AL/0275	Numeric	PPM	150.00	500.00	372	Complies

Opinion.....: Sample Conforms/Does not conform to I.P. / B.P. / U.S.P. / I.H.S.

Result.....: RELEASED

Remarks.....:

Checked By

Approved By