

ANALYSE CERTIFICAAT - CERTIFICAT D'ANALYSE - CERTIFICATE OF ANALYSIS

S.C. BISTRI-VET SRL
LIBERTATII STR. 13
420155 BISTRITA (JUD. BISTRITA-NASAUD)
ROMANIA

Hoogstraten, 08.04.2020

ORIGINAL

Material

F869100-001079-01 COMBI-KEL 40 100 ML

Pharmaceutical Form:

Sterile suspension

Batch 4007378 / Manufacturing Date 01.2020 Expiry date 01.2023

Inspection lot 40000049120 from 01.2020

CERTIFICATION STATEMENT: I hereby certify that all the manufacturing stages of this batch of finished product have been carried out in full compliance with the GMP requirements of the EU and with the requirements

of the Marketing Authorisation of the destination country.

Formula: Penicilline G Procaine laqua 200.000 IU -

Dihydrostreptomycinesulphate equivalent with 200 mg

Dihydrostreptomycine

base - excipients q.s. ad 1 ml

Aspect: white to yellow-white suspension

Characteristic	Unit	Value	Lower Limit	Upper Limit
Aspect		Complies		
Average volume (100 ml)	%	100,28	98,00	102,00
pH		6,55	5,50	7,00
Relative density		1,160	1,100	1,200
Needling time	s	8		30
Resuspendability	ROT	3		10
Sedimentation (F24)	%	95,00	50,00	
Id: Benzylpenicillin procaine		Complies		
Id: Dihydrostreptomycin Sulph		Complies		
Id: Na Methyl p-hydroxybenz		Complies		
Assay: Benzylpenicillin	%	97,51	95,00	105,00
Assay: Dihydrostreptomycin	%	99,20	90,00	110,00
Assay: Na methyl p-hydroxybenz	%	97,17	90,00	110,00
Sterility		Complies		

CERTIFICATE OF CONFORMITY / QUALITY

Date: 07/04/2020

COMBI-KEL 40 100 ML – batch 4007378 – exp. 01/2023

The undersigned, KELA N.V., confirms that the product COMBI-KEL 40 100 ML has been manufactured according to the methods of "Good Manufacturing Practices" at our factory in Hoogstraten and is of EU origin.

The product COMBI-KEL 40 100 ML has been manufactured according to the formula of COMBI-KEL which has been registered in Romania.

KELA N.V.



kela Sint Lenaartseweg 48
focus on health 2320 Hoogstraten
Belgium