

CERTIFICATE OF CONFORMITY / QUALITY

Date: 06/12/2021

COMBI-KEL 40 100 ML – batch 4012225 – exp. 07.2024

The undersigned, KELA N.V., confirms that the product COMBI-KEL 40 100 ML has been manufactured according to the methods of "Good Manufacturing Practices" at our factory in Hoogstraten and is of EU origin.

The product COMBI-KEL 40 100 ML has been manufactured according to the formula of COMBI-KEL which has been registered in Romania.

KELA N.V.



kela Sint Lenaartseweg 48
focus on health 2320 Hoogstraten
Belgium

ANALYSE CERTIFICAAT - CERTIFICAT D'ANALYSE - CERTIFICATE OF ANALYSIS

S.C. BISTRI-VET SRL
LIBERTATII STR. 13
420155 BISTRITA (JUD. BISTRITA-NASAUD)
ROMANIA

Hoogstraten, 07.12.2021

ORIGINAL

Material

F869100-001079-01 COMBI-KEL 40 100 ML

Pharmaceutical Form:

Sterile suspension

Batch 4012225 / Manufacturing Date 07.2021 Expiry date 07.2024

Inspection lot 40000062795 from 11.2021

CERTIFICATION STATEMENT: I hereby certify that all the manufacturing stages of this batch of finished product have been carried out in full compliance with the GMP requirements of the EU and with the requirements

of the Marketing Authorisation of the destination country.

Formula: Penicilline G Procaine laqua 200.000 IU -
Dihydrostreptomycinesulphate equivalent with 200 mg
Dihydrostreptomycine
base - excipients q.s. ad 1 ml

Aspect: white to yellow-white suspension

Characteristic	Unit	Value	Lower Limit	Upper Limit
Aspect		Complies		
Average volume (100 ml)	%	101	98	102
pH		6,5	5,5	7,0
Relative density		1,159	1,100	1,200
Needling time	s	13		30
Resuspendability	ROT	2		10
Sedimentation (F24)	%	90	50	
Id: Benzylpenicillin procaine		Complies		
Id: Dihydrostreptomycin Sulph		Complies		
Id: Na Methyl p-hydroxybenz		Complies		
Id: Na Formaldehyde sulf		Complies		
Assay: Benzylpenicillin	%	99,8	95,0	105,0
Assay: Dihydrostreptomycin	%	100,5	90,0	110,0
Assay: Na methyl p-hydroxybenz	%	98,7	90,0	110,0
Sterility		Complies		