

ANALYSE CERTIFICAAT - CERTIFICAT D'ANALYSE - CERTIFICATE OF ANALYSIS

S.C. BISTRI-VET SRL
LIBERTATII STR. 13
420155 BISTRITA (JUD. BISTRITA-NASAUD)
ROMANIA

Hoogstraten, 23.04.2024

ORIGINAL

Material

F869100-001079-01 COMBI-KEL 40 100 ML

Pharmaceutical Form:

Sterile suspension

Batch 4020745 / Manufacturing Date 12.2024 Expiry date 12.2027

Inspection lot 40000081413 from 04.2025

CERTIFICATION STATEMENT: I hereby certify that all the manufacturing stages of this batch of finished product have been carried out in full compliance with the GMP requirements of the EU and with the requirements

of the Marketing Authorisation of the destination country.

Formula: Penicilline G Procaine laqua 200.000 IU -

Dihydrostreptomycinesulphate equivalent with 200 mg

Dihydrostreptomycine

base - excipients q.s. ad 1 ml

Aspect: white to yellow-white suspension

Characteristic	Unit	Value	Lower Limit	Upper Limit
Aspect		Complies		
Average volume (100 ml)	%	100	98	102
pH		6,3	5,5	7,0
Relative density		1,160	1,100	1,200
Needling time	s	13		30
Resuspendability		Complies		
Sedimentation (F24)	%	90	50	
Id: Benzylpenicillin procaine		Complies		
Id: Dihydrostreptomycin Sulph		Complies		
Id: Na Methyl p-hydroxybenz		Complies		
Id: Na Formaldehyde sulf		Complies		
Assay: Benzylpenicillin	%	99,9	95,0	105,0
Assay: Dihydrostreptomycin	%	98,3	90,0	110,0
Assay: Na methyl p-hydroxybenz	%	96,6	90,0	110,0
Sterility		Complies		