

Certificate of Analysis

Certificate No.: 65758

Product:	Cylanic 250mg/62,5mg 100tab PT/RO		
Article number:	00101265	Dosage form:	Tablet
Batch:	24H71 Split: 0	Package size:	100 tablets
Quantity:	1,266 Units	Marketing authorisation holder:	Livisto Int'l
Manufacturing date:	01.09.2024	Registration number:	PT: 1430/02/21DFVPT; RO: 210066
Expiry date:	31.01.2027	Distributor / Importer:	

Parameter	Specification	Result
Appearance of tablet	White to slightly yellow, round and convex tablet with a cross-shaped break line on one side, 13 mm in diameter	White to slightly yellow, round and convex tablet with a cross-shaped break line on one side, 13 mm in diameter
Average tablet mass	508 ... 561	534 mg/Tabl.
Thickness	4,3 ... 4,8 mm	4,7 mm
Disintegration time	Max. 15 min	< 5 min
Hardness	50 ... 200 N	105 N
Friability	Max. 1,0 %	< 0,1 %
Uniformity of dosage units (CU): amoxicillin base	AV <= 15,0	corresponds to
Uniformity of dosage units (CU): clavulanic acid	AV <= 15,0	corresponds to
Dissolution: amoxicillin base	After 30 minutes = Q 85 %	S1: 100 - 101 %; 101 %
Dissolution: clavulanic acid	After 30 minutes = Q 85 %	S1: 100 - 101 %; 101 %
Identity: amoxicillin base	Retention time, peak shape and UV spectrum of standard and sample must correspond	Corresponds to
Identity: clavulanic acid	Retention time, peak shape and UV spectrum of standard and sample must correspond	Corresponds to
Assay: amoxicillin base	237,5 ... 262,5	253,8 mg/Tabl.
Assay: clavulanic acid	59,4 ... 65,6	62,8 mg/Tabl.
Related substances of amoxicillin base: any impurity, single	Max. 1,0 %	0,1 %
Related substances of amoxicillin base: total impurities	Max. 3,0 %	0,4 %
Related substances of clavulanic acid: any impurity, single	Max. 1,0 %	< 0,1 %
Related substances of clavulanic acid: total impurities	Max. 3,0 %	< 0,1 %



aniMedica Herstellungs GmbH
a LIVISTO company

Certificate of Analysis

Certificate No.: 65758

Product:	Cylanic 250mg/62,5mg 100tab PT/RO		
Article number:	00101265	Dosage form:	Tablet
Batch:	24H71 Split: 0	Package size:	100 tablets
Quantity:	1,266 Units	Marketing authorisation holder:	Livisto Int'l
Manufacturing date:	01.09.2024	Registration number:	PT: 1430/02/21DFVPT; RO: 210066
Expiry date:	31.01.2027	Distributor / Importer:	

Parameter	Specification	Result
-----------	---------------	--------

Template: 3678

TAMC, TYMC and Escherichia coli are tested periodically every 5th batch.

The finished product has been tested in accordance with the testing instruction and is of the required quality.

10. OKT 2024

Date, Signature Head of Quality Control

Amtsgericht Coesfeld
HRB-Nr. 10339
Geschäftsführer:
Thomas Höltker

Im Südfeld 9
48308 Senden-Bösensell
Deutschland

T +49 2536 33 02-0
F +49 2536 33 02-110
www.livisto.com

Along with you