

VetSolution

DERMATOSIS

Monge
Grain Free Veterinary Diets



MONGE VETSOLUTION DERMATOSIS FELINE is a complete dietetic feed for cats formulated to support of skin function in the case of dermatosis and excessive loss of hair. Contains melon juice concentrate to neutralize free radicals, Aloe vera to support the skin and Xylo-oligosaccharides (XOS) to secure the intestinal microbiota. The formulation is characterised by high level of linoleic acid (LA), sum of eicosapentaenoic acid (EPA) and docosahexaenoic acid (DHA).

COMPOSITION:

Hydrolysed salmon protein (16%), tapioca, potatoes, animal fat (tallow)*, dried chicken meat, dried carrot, animal fat (chicken oil)*, pea fibre, dried fish (Anchovy), fish oil (salmon oil)*, brewers' yeast, Xylo-Oligosaccharides (XOS 0.4%), minerals, Aloe vera (0.06%), products and by-products from processing fresh fruits and vegetables (melon juice concentrate - *Cucumis melo cantalupensis* - source of superoxidisedismutase 0.005%), milk protein powder. *purified at 99.6%, preserved with natural antioxidants.

ANALYTICAL CONSTITUENTS:

Crude protein: 32% - Crude Fibre: 5% - Crude fat: 19% - Crude ash 6.4% - Sum of eicosapentaenoic acid and docosahexaenoic acid: 0.75% - Linoleic acid: 3%.

ADDITIVES/kg:

NUTRITIONAL ADDITIVES:

Vitamin A (Retinyl Acetate) 25,000 IU, Vitamin D3 1,500 IU, Selenium (Sodium selenite 0.26 mg) 0.12 mg, Manganese (manganous sulphate monohydrate 74 mg) 24 mg, Copper (Copper (II) sulphate pentahydrate 37 mg) 9.5 mg, Iron (Iron (II) sulphate monohydrate 243 mg) 80 mg, Iodine (Calcium iodate anhydrous 7.1 mg) 4.6 mg, L-Carnitine: 100 mg - Taurine 2500 mg.

TECHNOLOGICAL ADDITIVES:

Tocopherol extracts from vegetable oils.

FEEDING INSTRUCTIONS:

It is recommended that a veterinarian's opinion be sought before use. Recommended length of time for use: up to 2 months. Recommended daily feeding intakes in grams is reported in the Table, to be fed in two meals. Fresh and clean water should be available at all times. Pet food only, not suitable for human consumption.


STORAGE CONDITIONS:

To keep stored in a cool dry place.
Best before and batch no.: see package marking.

NET QUANTITY: 400g - 1,5kg

Recommended daily feeding intakes (grams/day)

Weight of adult cat (in kg)	2	3	4	5	6	7	8	9	10
Recommended intakes (g/day)									
Silhouette thin	30	40	50	55	65	70	80	90	95
Silhouette ideal	25	35	45	50	60	65	75	80	90
Silhouette heavy	25	35	40	50	55	60	70	75	80



MONGE & C. S.p.A. - Via Savigliano, 31 - 12030 Monasterolo di Savigliano (CN) - Italy Tel. +39 0172 747111 Fax +39 0172 747199
www.monge.it E-mail: info@monge.it

NUMERO VERDE CUSTOMER SERVICE
800 45 27 22
LUN-VEN 9.30-12.14, 15-18 MON-FRI 9.30-12.00/14.30-18.00





MONGE VETSOLUTION GASTROINTESTINAL FELINE is a complete dietetic feed for cats formulated for the reduction of intestinal absorptive disorders. Contains melon juice concentrate to neutralize free radicals, Horse chestnut for intestinal support, Xylo-oligosaccharides (XOS) to secure the intestinal microbiota. Highly digestible feed with increased sodium and potassium.

COMPOSITION:

Dried pork meat**, tapioca, potatoes, hydrolysed salmon protein**, animal fat (chicken oil)*, animal fat (tallow)*, pea fibre, fish oil (salmon oil)*, dried peas, dried fish (Anchovy), minerals, Xylo-Oligosaccharides (XOS 0.4%), pineapple, dried horse chestnut (0.01%), products and by-products from processing fresh fruits and vegetables (melon juice concentrate - *Cucumis melo cantalupensis* - source of superoxidodismutase 0.005%), milk protein powder. *purified at 99.6%, preserved with natural antioxidants. **highly digestible ingredients.

ANALYTICAL CONSTITUENTS:

Crude protein: 32% - Crude Fibre: 5% - Crude fat: 20% - Crude ash: 6.9% - Sodium: 0.4% - Potassium: 1.2% - Chlorides: 0.8%.

ADDITIVES/kg:

NUTRITIONAL ADDITIVES:

Vitamin A (Retinyl Acetate) 25,000 IU, Vitamin D3 1,500 IU, Selenium (Sodium selenite 0.27 mg) 0.12 mg, Manganese (manganous sulphate monohydrate 77 mg) 25 mg, Copper (Copper (II) sulphate pentahydrate 39 mg) 10 mg, Iron (Iron (II) sulphate monohydrate 249 mg) 82 mg, Iodine (Calcium iodate anhydrous 7.3 mg) 4.8 mg, L-Carnitine: 100 mg - Taurine 2500 mg.

TECHNOLOGICAL ADDITIVES:

Tocopherol extracts from vegetable oils.

FEEDING INSTRUCTIONS:

It is recommended that a veterinarian's opinion be sought before use. Recommended length of time for use: up to 12 weeks. Fresh and clean water should be available at all times. Pet food only, not suitable for human consumption.


STORAGE CONDITIONS:

To keep stored in a cool dry place.
Best before and batch no.: see package marking.

NET QUANTITY: 400g - 1,5kg

Recommended daily feeding intakes (grams/day)

Weight of adult cat (in kg)	2	3	4	5	6	7	8	9	10
Recommended intakes (g/day)									
Silhouette thin	30	40	45	55	65	70	80	90	95
Silhouette ideal	25	35	45	50	60	65	75	80	90
Silhouette heavy	25	35	40	50	55	60	70	75	80





MONGE VETSOLUTION RENAL FELINE is a complete dietetic feed for cats formulated for the support of renal function in the case of chronic or temporary renal insufficiency. Contains melon juice concentrate to neutralize free radicals, green tea for renal support and Xylo-oligosaccharides (XOS) to secure the intestinal microbiota. The formulation is characterized by high quality proteins and restricted levels of phosphorus and crude protein.

COMPOSITION:

Dried chicken meat (24%)**, tapioca, animal fat (chicken oil)*, dried peas**, potatoes, dried fish (Anchovy)**, pea fibre, animal fat (duck oil)*, dried carrots, fish oil (salmon oil)*, dried apple pulp, dried pineapple, potato protein**, minerals, Xylo-Oligosaccharides (XOS 0.4%), yucca schidigera, dried green tea leaves (0.015%), products and by-products from processing fresh fruits and vegetables (melon juice concentrate - *Cucumis melo cantalupensis* - source of superoxidisedismutase 0.005%), milk protein powder**. *purified at 99.6%, preserved with natural antioxidants. ** Protein sources (digestibility>85%).

ANALYTICAL CONSTITUENTS:

Crude protein: 24% - Crude Fibre: 5.8% - Crude fat: 20% - Crude ash: 5.9% - Calcium: 0.6% - Phosphorus: 0.3% - Potassium: 0.8% - Sodium: 0.09% - n-3 fatty acids: 0.86% - n-6 fatty acids: 3.27%.

ADDITIVES/kg:

NUTRITIONAL ADDITIVES:

Vitamin A (Retinyl Acetate) 18,000 IU, Vitamin D3 1,000 IU, Selenium (Sodium selenite 0.27 mg) 0.1 mg, Manganese (manganous sulphate monohydrate 77 mg) 25 mg, Copper (Copper (II) sulphate pentahydrate 39 mg) 10 mg, Iron (Iron (II) sulphate monohydrate 249 mg) 82 mg, Iodine (Calcium iodate anhydrous 7.3 mg) 4.8 mg, L-Carnitine: 90 mg - Taurine 2500 mg.

TECHNOLOGICAL ADDITIVES:

Tocopherol extracts from vegetable oils.

FEEDING INSTRUCTIONS:

It is recommended that advice from a veterinarian be sought before use and before extending the period of use. Recommended daily feeding intakes in grams is reported in the Table, to be fed in two meals. Fresh and clean water should be available at all times. Recommended length of time for use initially up to 6 months for chronic renal insufficiency and 2 to 4 weeks for temporary renal insufficiency. Pet food only, not suitable for human consumption.


STORAGE CONDITIONS:

To keep stored in a cool dry place.
Best before and batch no.: see package marking.

NET QUANTITY: 400g - 1,5kg

Recommended daily feeding intakes (grams/day)

Weight of adult cat (in kg)	2	3	4	5	6	7	8	9	10
Recommended intakes (g/day)									
Silhouette thin	30	40	45	55	65	70	80	85	95
Silhouette ideal	25	35	45	50	60	65	75	80	85
Silhouette heavy	20	30	40	50	55	65	70	75	80





MONGE VETSOLUTION OBESITY FELINE is a complete dietetic feed for cats formulated for the reduction of excessive body weight. Contains melon juice concentrate to neutralize free radicals, plantago seed to delay gastric emptying and induce satiety and Xylo-oligosaccharides (XOS) to secure the intestinal microbiota. It is formulated with low energy density.

COMPOSITION:

Dried Chicken meat, tapioca, hydrolysed salmon protein, potato protein, pea fibre, potatoes, dried fish (Anchovy), brewers' yeast, animal fat (chicken oil)*, fish oil (salmon oil)*, dried peas, Plantago seed (0.5%), Xylo-Oligosaccharides (XOS 0.4%), minerals, products and by-products from processing fresh fruits and vegetables (melon juice concentrate - *Cucumis melo cantalupensis* - source of superoxidodismutase 0.005%), milk protein powder. *purified at 99.6%, preserved with natural antioxidants.

ANALYTICAL CONSTITUENTS:

Crude protein: 38% - Crude Fibre: 8% - Crude fat: 10% - Crude ash: 7.2% - Metabolized Energy value 3,388 kcal/kg (NRC 2006a).

ADDITIVES/kg:

NUTRITIONAL ADDITIVES:

Vitamin A (Retinyl Acetate) 25,000 IU, Vitamin D3 1,500 IU, Selenium (Sodium selenite 0.16 mg) 0.07 mg, Manganese (manganous sulphate monohydrate 46 mg) 15 mg, Copper (Copper (II) sulphate pentahydrate 23.3 mg) 5.9 mg, Iron (Iron (II) sulphate monohydrate 150 mg) 49.5 mg, Iodine (Calcium iodate anhydrous 4.3 mg) 2.8 mg, L-Carnitine: 200 mg, Taurine 2500 mg.

TECHNOLOGICAL ADDITIVES:

Tocopherol extracts from vegetable oils.

FEEDING INSTRUCTIONS:

it is recommended that a veterinarian's opinion be sought before use. Recommended length of time for use: until target body weight is achieved and after if required to maintain target bodyweight. A transition period when starting the diet is advised. For an efficient weight loss or ideal weight maintenance, the recommended daily energy intake should not be exceeded. Recommended daily feeding intakes in grams is reported in the Table, to be fed in two meals. Fresh and clean water should be available at all times. Pet food only, not suitable for human consumption.

STORAGE CONDITIONS:

To keep stored in a cool dry place.


Best before and batch no.: see package marking.

NET QUANTITY: 400g - 1,5kg

Recommended daily feeding intakes (grams/day)

Ideal body weight of adult cat (in kg)	2	3	4	5	6	7	8	9	10
Recommended intakes (g/day)									
Moderate excessive body weight BCS* 6-7/9	35	45	55	65	70	80	90	100	105
Severe excessive body weight BCS*>8/9	30	40	45	50	55	60	70	75	80

*BODY CONDITION SCORE





MONGE VETSOLUTION HEPATIC FELINE is a complete dietetic feed for cats formulated for the support of liver function in the case of chronic liver insufficiency. Contains melon juice concentrate to neutralize free radicals, Thistle seed for hepatic support and Xylo-oligosaccharides (XOS) to secure the intestinal microbiota. The formulation is characterized by moderate level of protein, selected and highly digestible.

COMPOSITION:

dried peas (22%)**, tapioca, dried chicken meat (15%)**, animal fat (duck oil)*, hydrolysed salmon protein (7%)**, potatoes, animal fat (chicken oil)*, fish oil (salmon oil)*, pea fibre, brewers' yeast, minerals, Xylo-Oligosaccharides (XOS 0.4%), yucca schidigera, Thistle seed (0.03%), products and by-products from processing fresh fruits and vegetables (melon juice concentrate - *Cucumis melo cantalupensis* - source of superoxidisedismutase 0.005%), milk protein powder. *purified at 99.6%, preserved with natural antioxidants. **Protein sources.

ANALYTICAL CONSTITUENTS:

Crude protein: 26% - Crude Fibre: 3% - Crude fat: 20% - Crude ash: 6% - n-3 fatty acids: 0.75% - n-6 fatty acids: 4.5% - Sodium: 0.41% - Total Copper: 5 mg/kg - Energy value: 4674 kcal/kg

ADDITIVES/kg:

NUTRITIONAL ADDITIVES:

Vitamin A (Retinyl Acetate) 18,000 IU, Vitamin D3 1,200 IU, Selenium (Sodium selenite 0.66 mg) 0.3 mg, Manganese (manganous sulphate monohydrate 69 mg) 22.3 mg, Copper (Copper (II) sulphate pentahydrate 7 mg) 1.7 mg, Iron (Iron (II) sulphate monohydrate 369 mg) 121.5 mg, Iodine (Calcium iodate anhydrous 9 mg) 6 mg, L-Carnitine: 300 mg, Taurine: 2000 mg.

TECHNOLOGICAL ADDITIVES:

Tocopherol extracts from vegetable oils.

FEEDING INSTRUCTIONS:

it is recommended that a veterinarian's opinion be sought before use. Fresh and clean water should be available at all times. Recommended length of time for use initially up to 4 months. Recommended daily feeding intakes in grams is reported in the Table, to be fed in two meals. Pet food only, not suitable for human consumption.


STORAGE CONDITIONS:

To keep stored in a cool dry place.
Best before and batch no.: see package marking.

NET QUANTITY: 400g - 1,5kg

Recommended daily feeding intakes (grams/day)

Weight of adult cat (in kg)	2	3	4	5	6	7	8	9	10
Recommended intakes (g/day)									
Silhouette thin	25	35	45	55	60	70	75	85	90
Silhouette ideal	25	35	40	50	60	65	70	80	85
Silhouette heavy	25	30	40	45	55	60	65	70	80





MONGE VETSOLUTION URINARY OXALATE FELINE is a complete dietetic feed for cats formulated for the reduction of oxalate stones formation. Contains melon juice concentrate to neutralize free radicals, green tea for urinary support and Xylo-oligosaccharides (XOS) to secure the intestinal microbiota. The formulation is characterized by low level of calcium, low level of vitamin D and urine alkalisating properties.

COMPOSITION:

hydrolysed salmon protein, tapioca, potatoes, dried chicken meat, potato protein, dried peas, animal fat (duck oil)*, dried carrots, fish oil (salmon oil)*, pea fibre, dried pineapple, minerals, dried citrus pulp, Xylo-Oligosaccharides (XOS 0.4%), dried green tea leaves (0.015%), products and by-products from processing fresh fruits and vegetables (melon juice concentrate - *Cucumis melo cantalupensis* - source of superoxidodismutase 0.005%), milk protein powder. *purified at 99.6%, preserved with natural antioxidants.

ANALYTICAL CONSTITUENTS:

Crude protein: 33% - Crude Fibre: 2.5% - Crude fat: 15% - Crude ash: 6.5% - Calcium: 1% - Phosphorus: 0.8% - Sodium: 0.18% - Magnesium: 0.07% - Potassium: 1.2% - Chlorides: 0.6% - Sulphur: 0.15% - Total Vitamin D: 1,350 mg/kg - Hydroxyproline: 0.08% - n-3 fatty acids: 0.8% - n-6 fatty acids: 2%. Urine alkalisating substances: potassium citrate 1.1%.

ADDITIVES/kg:

NUTRITIONAL ADDITIVES:

Vitamin A (Retinyl Acetate) 15,000 IU, Vitamin D3 900 IU, Selenium (Sodium selenite 0.12 mg) 0.06 mg, Manganese (manganous sulphate monohydrate 36 mg) 12 mg, Copper (Copper (II) sulphate pentahydrate 18 mg) 5 mg, Iron (Iron (II) sulphate monohydrate 117 mg) 39 mg, Iodine (Calcium iodate anhydrous 3.4 mg) 2.2 mg, L-Carnitine: 100 mg - Taurine 2000 mg.

TECHNOLOGICAL ADDITIVES:

Tocopherol extracts from vegetable oils.

FEEDING INSTRUCTIONS:

It is recommended that a veterinarian's opinion be sought before use. Recommended daily feeding intakes in grams is reported in the Table, to be fed in two meals. Water should be available at all times. Recommended length of time for use initially up to 6 months. Pet food only, not suitable for human consumption..

STORAGE CONDITIONS:


To keep stored in a cool dry place.

Best before and batch no.: see package marking.

NET QUANTITY: 400g - 1,5kg

Recommended daily feeding intakes (grams/day)

Weight of adult cat (in kg)	2	3	4	5	6	7	8	9	10
Recommended intakes (g/day)									
Silhouette thin	30	40	50	60	65	75	80	90	95
Silhouette ideal	25	35	45	55	60	70	75	85	90
Silhouette heavy	25	35	40	50	55	65	70	75	85





MONGE VETSOLUTION URINARY STRUVITE FELINE is a complete dietetic feed for cats formulated for the dissolution of struvite stones, the reduction of struvite stones recurrence and the feline urological syndrome - FUS. Contains melon juice concentrate to neutralize free radicals, cranberry for urinary support and Xylo-oligosaccharides (XOS) to secure the intestinal microbiota. The formulation is characterized by urine acidifying properties and low level of magnesium.

COMPOSITION:

hydrolysed salmon protein (19%), tapioca, potatoes, animal fat (chicken oil)*, dried chicken meat, pea fibre, animal fat (tallow)*, dried carrots, fish oil (salmon oil)*, minerals, Xylo-Oligosaccharides (XOS 0.4%), Yucca schidigera, dried cranberry (0.05%), products and by-products from processing fresh fruits and vegetables (melon juice concentrate - *Cucumis melo cantalupensis* - source of superoxidodismutase 0.005%), milk protein powder. *purified at 99.6%, preserved with natural antioxidants.

ANALYTICAL CONSTITUENTS:

Crude protein: 33% - Crude Fibre: 3.9% - Crude fat: 17% - Crude ash: 7% - Calcium: 1.3% - Phosphorus: 0.8% - Sodium: 0.8% - Magnesium: 0.06% - Potassium: 1.2% - Chlorides: 1.9% - Sulphur: 0.16% - Total Taurine: 0.4%. Urine acidifying substances: Ammonium Chloride: 0,2% - Potassium Chloride: 0,4%.

ADDITIVES/kg:

NUTRITIONAL ADDITIVES:

Vitamin A (Retinyl Acetate) 16,000 IU, Vitamin D3 900 IU, Selenium (Sodium selenite 0.25 mg) 0.11 mg, Manganese (manganous sulphate monohydrate 72 mg) 23 mg, Copper (Copper (II) sulphate pentahydrate 36 mg) 9 mg, Iron (Iron (II) sulphate monohydrate 234 mg) 77 mg, Iodine (Calcium iodate anhydrous 6.8 mg) 4.45 mg, DL-methionine technically pure: 2000 mg, L-Carnitine: 100 mg - Taurine 2500 mg.

TECHNOLOGICAL ADDITIVES:

Tocopherol extracts from vegetable oils.

FEEDING INSTRUCTIONS:

It is recommended that advice from a veterinarian be sought before use and before extending the period of use. Recommended daily feeding intakes in grams is reported in the Table, to be fed in two meals. Fresh and clean water should be available at all times. Recommended length of time for use from 5 to 12 weeks for the dissolution of struvite stones and initially up to 6 month for the reduction of struvite stone recurrence. Pet food only, not suitable for human consumption.

STORAGE CONDITIONS:

To keep stored in a cool dry place.
Best before and batch no.: see package marking.

NET QUANTITY:

400g - 1,5kg

Recommended daily feeding intakes (grams/day)

Weight of adult cat (in kg)	2	3	4	5	6	7	8	9	10
Recommended intakes (g/day)									
Silhouette thin	30	40	50	55	65	75	80	90	95
Silhouette ideal	25	35	45	55	60	70	75	80	90
Silhouette heavy	25	35	40	50	55	65	70	75	80





MONGE VETSOLUTION DIABETIC FELINE is a complete dietetic feed for cats formulated for the regulation of glucose supply (*Diabetes mellitus*). Contains melon juice concentrate to neutralize free radicals, plantago seed for the modulation of intestinal absorption and Xylo-oligosaccharides (XOS) to secure the intestinal microbiota. The formulation is characterized by low level of mono- and disaccharides.

COMPOSITION:

Dried chicken meat, tapioca (20%), **, hydrolysed salmon protein, dried peas**, pea fibre, dried duck meat, brewers' yeast, animal fat (chicken oil)*, fish oil (salmon oil)*, potato protein, Xylo-Oligosaccharides (XOS 0.4%), minerals, Plantago seed (0.5%), yucca schidigera, products and by-products from processing fresh fruits and vegetables (melon juice concentrate - *Cucumis melo cantalupensis* - source of superoxidodismutase 0.005%), milk protein powder. *purified at 99.6%, preserved with natural antioxidants. ** Carbohydrate sources.

ANALYTICAL CONSTITUENTS:

Crude protein: 35% - Crude Fibre: 8% - Crude fat: 10% - Crude ash: 7% - Starch 25% - Total sugars: 6.2% - n-3 fatty acids: 0.42% - n-6 fatty acids: 1.87%.

ADDITIVES/kg:

NUTRITIONAL ADDITIVES:

Vitamin A (Retinyl Acetate) 25,000 IU, Vitamin D3 1,750 IU, Selenium (Sodium selenite 0.25 mg) 0.11 mg, Manganese (manganous sulphate monohydrate 72 mg) 23 mg, Copper (Copper (II) sulphate pentahydrate 36 mg) 9 mg, Iron (Iron (II) sulphate monohydrate 234 mg) 77 mg, Iodine (Calcium iodate anhydrous 6.8 mg) 4.45 mg, L-Carnitine: 100 mg, Taurine 2500 mg.

TECHNOLOGICAL ADDITIVES:

Tocopherol extracts from vegetable oils.

FEEDING INSTRUCTIONS:

It is recommended that a veterinarian's opinion be sought before use and before extending the period of use. Recommended daily feeding intakes in grams is reported in the Table, to be fed in two meals. Fresh and clean water should be available at all times. Recommended length of time for use initially up to 6 months. Pet food only, not suitable for human consumption.

STORAGE CONDITIONS:

To keep stored in a cool dry place.
Best before and batch no.: see package marking.

NET QUANTITY: 400g - 1,5kg

Recommended daily feeding intakes (grams/day)

Ideal body weight of adult cat (in kg)	2	3	4	5	6	7	8	9	10
Recommended intakes (g/day)									
Silhouette ideal	30	40	50	60	70	75	85	95	100
Moderate excessive body weight BCS* 6-7/9	30	40	45	55	65	70	80	85	95
Severe excessive body weight BCS*>8/9	25	35	45	50	60	65	75	80	90

*BODY CONDITION SCORE

